

(1) (3) (3) (3) (3) (3) (3) (3) (3) (3) (3				
100 ps	qa = +\-{zx,zy} - z\\ qa = +\-{zx,zy} - z\\ qa = +\-{zx,zy} - z\\ qa = +\-{zx,zy} + z\\ qa = +\-{zx,zy} + z\\ qa = +\-{zx,zy} \\ z\\ z\\ z\\ z\\ z\\ z\\ z\\ z\\ z\\	26 25 24 23 22 21 20 19 18 V/S SA DA Sub-op 1 Property	17 16 15 14 13 12 11 10 9 8 7 6 ed PL Sxi Syi Rind 5 5 5 5	
	da = min(+/- 31° 37,50) da = min(+/- 31° 38,57) da = mins(+/- 31° 37, 52)	Min 1 0 1 Min 1 1 0 Max - 1 1 1	Gx Gx Gx	TIG.6

39 38 37 36 35 34 32 22 24 20 20 20 20 20	•
1 0 0 3 33 32 31 30 29 28 27 26 25 24 23 22 21 20	
L L V VICTORIO I ST I CV VICTORIO I TITLE	da = +/-(mx*sa) + my
1 0 0 Sub	da = +/-(mx*sa) - my
1 1 0 Min	da = min(+/-mx*sa, my)

FI 6.60

	Control and specifier Extensions [19] 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1 0	Mul 0 Prod PL Sr Sr Rnd S S S 0 SA OA ob s 0 0 Add/Sub Add/Sub L1 S S S S S S O SA OA ob s O OA OA OA OA OA OA O	Add 0 Pred PL Sxi Syi Lt Sub-ext 0 SA DA ebs 0 0 10 100 (usdd)	Екі (0 Pred Pt Sxi Syi Incli Gx Sub-exi 0 SA DA ebs 0 0 Add/sub 11 Fp Rad vis 14 Fp Fp Fp Fp Fp Fp Fp F	Type/offset/permute extensions
20-bit ISA 39 19 20-bit parallel Control II	DSP Instructions [39 38 37 36 35 34 33 32 31 30 29 28 28 27 26 25 24 23 22 21 20	Anuliply (1 0 0 0 5 (3') SX SX SX SUb-op (1 0 0 0 1 Add da (3x'3)) 18 da (3x'3) 18	0-0-0	-0-0-0-0	1 0 1 Sub 1 1 0 1 Sub 1 1 0 1 Sub 1 1 0 1 1 0 1 1 0 1 1

FIG. 6 E

:

Type overide permute overide Offset overide

Shadow DSP

ereg | 1 | SA|DA| Sub-op

O Op Pt lop 6/60

•

9	의	-	묎	₹	9	-	-	-	-	न	-[-	-	9	9	-1	-	0	-1	न	-	-	0	0	9	9	이	-	-	-	-	-	-1	-1	-1	-1	Ę	-1	-1	7	7	7
-	٤	X	3	9	2	9	न	न	-	٦	9	ᅴ	-	9	ᅴ	ᅴ	-1	-	-1	4	0	-	9	0	0	ᅴ	-	힉	-1	-	-	-	-	-	-	-	ğ	=	-	#	#	_
넴	1				٦	힉	리	-1	٦	4	ᅴ	7	1	ā	힐	ᆿ	ā	J	힠	:	_	ᆰ	히	-	ᅴ	-1		41.1	히	-	-	-	=	=	-	-		#	=	#	#	1
-	2	7	7	RZ	7	9	-			斍		3		Pred	200	12.10	3	ے	12:10	1	٦	٦	7	1	-1	=		ㅋ		ᅴ	리	히	-	-	=	_	1170	_	ᅴ	#	#	╡
7	٣	Œ	٣	æ	٩	Ozi	×	å	220	١	뙭	틸	욉	히	-	-	9	-		2	긱	김	퇿	ᆲ	-	ᅱ	۱	Ž	뒤	9	-	=	ᅴ	=	히	-		#	_	⇉	#	_
S						Rxi	×	힣		핉	諨	Rzi UI1UI1	ı	1	┪		×	ᅱ	J	1	┪	_		1	-	ᅴ		Rx Ryll &	밁	Ę	9	ᅴ	ᅴ	٥	_			_	ᅴ	ᆉ	╁	_
9				Γ				7	٦		٦	٦	┪	ı		US: Lele	×	×	215: 1618	┪	١	1	1	1	1	┪					ö	┪	┪	1				Ⅎ	_	_	+	_
7	RY	,	Ţ	_	_	2		3	_				١	Į		ŝ	×	×	消		읡	۲			J		:18	2			П		١	١				ᆡ		Ⅎ	╁	_
•	œ	RY	ž	⋩	RY	a	70		021	RZ	RZ	RZ		ĺ			×	Ž	١	⋛		Н	RZ	ĕ	RZ	ĕ	Bits 27:16	RY/RZ	RZ	RZ	72	ĕ	낕	Z,	RZ	2	140711408387884	1		_	\pm	-
9				l		!		in a						es S	SIB		×	×	×			ð		-			ā		ļ					ŀ		٦				0	+	-
0		Γ	Γ	T	Г	r	П	Н	Н	Н	Н	Н	SIB	Ĭ	,	3	Н	Н		Н	Н		Н	٦	Н	٦		Н		Н	Н	Н			Н	Н		· 1	Н	Н	-	-
11	×	Ļ	Ļ	L	Ĺ	L				SO	SO	os				UIS : Lcount						Н	l						676								3	3		1	7	\exists
12	≈	ž	2	ĕ	ž	ž	Sit	RX	ž	UILPOS	UI4:POS	4:P				115:	ă	ž	ž	Ä	ž	P.	ž	M 2	ž	MΖ		ž	H	RX	ž	ΜZ	Š	Ä	ž	RX	e e	\exists	AC #	8 2	3	S
5				ı	1					[7																	unit								Market all the Artist	Pred		l	7	기
=	9	0	1-	0	-	-	-	-	╞	6	0	0	0	ŀ	-	-	-	-	-	0	0	0	H			1	-	-	1	H	ŀ		-		H	-	110		-	Н	4	Ⅎ
2	0	0	-	-	-	-	-	-	-	0	6		0	0	6	0	0	0	0	-	-	1	-	-	=	-	-	1	-	ŀ	1	-	1	-	-	-	=		Н		\exists	\exists
2	0	6	0	ŀ	10	0	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	H	1	L	H	H	Ŀ	510.35 51		Н		\exists	\exists
=	Pied	,	,	,	,	,	,	9	١,	١.	١,	١,		Ļ	-	ļ,	٦	١.	-	Ţ	١.	-	f.	٩	_	P	-	١,	٦	-	٦	H	H	H	Н	Ŀ	2.5	Н		Н	Н	7
=	ة	Pred	Ped	Pre	Pred	Pred	Pred	Pred	Pred	Pred	Pred	ş	Pred	95	Pred	Peg	Pred	Pred	Pred	Pred	Pred	Pred	Pred	Pred	Pred	Pred	Ped	ş	P S	Pred	Pred	Pred	Pred	Pred	Pred	Pre	SARredel	Pred	Pred	Pred	Pred	Pre
=	-	1	1-	1-	1-	オ-	1-	1	t	1-	_	1	-	_	_	-	1	1	5	5	5	5	7	1	7	1	1]	1	5	١,	-					315			H		-
					_	_	-	_	1_		_	<u> </u>	_	_	٠_	-	_		-	_	_	_				Ц.		_	!	<u>_</u>			L	L	Ľ	드	S		L			
	dus bhe		Shift	oine.	,		ippe	mov24m	Ę	s in the	5110	> this	MoM	e E	1	000	ioul	E C	Loopi	Ţ.	Testbit	Andb. orp	1000	Store	Proje	• Store	Extended	Looic 2	OJe-AOE	ę	Parity	Sta	403	200%	Or.atep	& Sel	(Ved Pr	Return	20ro-80	• Sync	Sw	d

3, Bits 13-10> am UIS :POS

<8111, 81159-8> ** UIS (Shift Amount)

FIG. 6 F

•

	٠		
	í	i	
	i	i	i
	4	ì	
	ı	۱	
	١	t	1
4	,		١
١	۰	۰	•
	١	į	2
	٠	i	
ı,		í	
	١	Ę	
	•	t	•
	١		
	i	•	
	•		
		١	۱
1	ı		
ľ	۰	٠	

			- III: 21@17.5 #10					Bit 15 is continuation of Inner LC.					andp, orp, andorp, orandp; pr = (px relop py) relop pv)									
10 9 8 7 8 9	x x 0 RXI RXI IV X X X X X X X X X X X X X X X X X X X X X X X X X X X X X X X X X X X X X X X X X X X X X X	llon tmm10	0 mm m 0 mm m D U/S 1 Shill: U/S A/L LI R/L 0 Fill 1	0 ryh RY	x x x x 1 Shift: UIS 1 x R.A. 1 x 1	0 n/h	× Uj15	UII UI4: outer Laize UI4: Inner Laize UI2: O.Ls UI4: Inner Later 0	0 715		0 mm mi mm mm mm mm mm m	MANAGE STREET	1 T/F T/F A A A A A A A A A A	imm16	lmm16	0 0	1 0 1 mm14	I Reif 0 Type Si10	Rat 1 Type Si10	Imm16	imm18	lmm16
16		0 Rzi	0 1		0		0	0	0	0	0	1. (O.) 1.5	0	0	0	0	0	0	0	0	0	0
191	×	×	און ש		×		Pred	x extl	x exit	×	×	1.4km	×	>'<'	X	×	×	XX	×	1 3/4	X 1	×
의	9	0	0		x 0 0 0	l	6	0	0	0	0	(1) J.	0	0	0	0	0	0	× 0	0	×	×
~	0	-	0 0		9		0	E	Ε	0	0	1402	0	-	0	11	-	1	ŀ	0	-	¥
1 1	9	0	Н		P		-	-	Ŀ	0	0	91.04	0	0	Ш	1	1	1	1	٠/٠	NX	9
5 5		0	0	l	6		6	0	0	-	-		10	-	1	-	-	-	-	٥	0	
9 8	RZ	RZ	RZ		RZ		J)/C	UI4: Inner LC	۸	٣.	ΑY	THE REPORT OF THE PARTY OF THE) Zd 0) Zd (RZ (RZ (SX.	RZ	S S	RZ	RZ	RZ
Bils 1 01 11 12 11	8x	Ui4: tenoth	ž		ă		5	Uld: outer LC	×	ž	ž		č	ž	HA Fill	Type	Type	8X	MZ	RX	RX	Rx
	InservErtract	57860	Shift	•	at a second		les emi	4000	igoogle	-	9	PARTITION OF THE PARTIES.	looico	Tosti	MoM	1000	storel	loadi	10.01	Addivabl	min,maxi	andi.orl

FIG. 6 G

:

39 36 37 36 35 34 33 31 30 78 28 22 24 23 22 21 20 19 16 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0	39 36 37 36 35 34 33 32 31 30 29 28 27 26 25 24 23 22 12 19 16 15 14 13 12 11 10 9 6 7 6 5 4 3 3 1 1 0	39 38 37 39 35 34 30 29 28 27 28 25 24 23 22 21 20 19 18 17 16 15 14 13 12 11 10 9 6 5 4 3 2 1 0 \) Group Pred Pred Pred Pred Pred Pred Pred Pred	27 26 25 24 23 22 21 20 19 16 17 16 15 14 13 12 11 10 9 8 7 8 5 4 3 S 5 5 5 5 5 5 5 5 5	39 36 37 36 33 34 33 32 31 30 78 26 22 26 22 24 22 21 20 19 16 15 14 13 12 11 10 9 6 7 6 5 4 3 2 1 0 0 Shin Gieyp Pred Pred Imm2 Occode D2	39 39 39 39 39 39 39 39	39 38 37 36 35 34 33 32 31 30 28 22 28 23 24 23 22 21 20 19 16 17 16 15 14 13 17 19 19 10 10 10 10 10 10	38 38 37 38 35 34 32 31 30 28 28 27 26 25 24 22 22 21 21 20 19 16 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1 0 0
	A RITH:	EXT	10010:	SHIFT: '	emmedities.	Test:	Brach:


FIG. 6 H


Branch: Misc:


MAC:


Abways preupdate Abways preupdate	11 12 11 12 11 12 13 13 13 11 16 1 1 1 1 1 1 1 1 1 1 1 1		
Mamper and print, p13	AR (21 22 22 22 22 22 22 22 22 22 22 22 22 2	\$PR: \$PR: \$PR: \$IND) \$pportps	A A A A A A A A A A A A A A A A A A A


FIG. $6\mathcal{H}$













:





rozaen ho'raeceo

VxTel Voice Activity Detection Algorithm





FIG. 14B

FFT Processing of Input Speech for VAD



F56. 14C

Zero Crossing 1452





FIG. 14E


Energy Discriminator 1454




FSG. 14F


Instantaneous Energy Discriminator


14-55



F56. 146







;

